ALL SOULS OF FIRE

PRICE LIST
2025

MCZ

PELLET STOVES_Air/Comfort Air Maestro 17

PELLET STOVES_Air/Comfort Air Easy 73

PELLET STOVES_Hydro Maestro 89

PELLET STOVES_Hydro Easy 103

PELLET_Fireplaces and inserts 109

TECHNOLOGIES

EXCLUDABLE VENTILATION
With the 'No Air' function, pellet stoves can significantly reduce the effect of forced ventilation, and in some models even eliminate it completely. This technology makes the stove quieter and more comfortable.

IGNITION IN 3 MINUTES
Product equipped with ceramic spark plug ensuring ignition times reduced by 40%.

WEEKLY ASH EMPTYING
The high capacity of the ash drawer allows the stove to be used for a week without emptying (average power consumption, 8 hours/day operation).

STRUCTURE COMPLETELY SEALED
Products built with Oyster technology do not consume oxygen by taking all the air from the environment outside so therefore can be placed inside every home properly insulated and within passive houses.

COAXIAL SMOKE DUCT
Coaxial smoke duct to evacuate the smoke and also to draw in the combustion air.

BRUSHLESS
Thanks to advanced technology, the new brushless gear motor guarantees high sound comfort (almost no noise) and substantial energy savings (consumption 90% lower compared to traditional motors). Used in the pellet loading system of all stoves.

DUAL CONNECTIVITY
For Maestro+ products, it is possible to control the stove from a smartphone over a home Internet network (Wi-Fi router) or through a Bluetooth connection (BLE Bluetooth Low Energy). Specifically, the connection via smartphone/stove remote control is controlled via BLE without using the home internet connection.

KIT WI-FI EASY CONNECT
For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.

1 / Automatic self-cleaning brazier with comb mechanism for a more effective cleaning

2 / Dedicated brushless engine

3 / Utmost combustion efficiency thanks to the electronics that defines the mechanical cleaning in regular cycles or in case of blockages

4 / Availability both on water and high power air versions (14 kW)

5 / Ash pan allowing the emptying on a weekly basis or beyond

MANY SOLUTIONS TO TAKE ADVANTAGE OF ALL THE SPACE AVAILABLE IN YOUR HOME

CONFINED SPACES
Thanks to a very limited depth, these products are particularly suitable in small rooms or hallways.

USE OF OLD FIREBOXES
These products are designed to be able to use old fireboxes that do not work and/or do not heat, thanks to a limited height (stoves) and the possibility of being incorporated (chimneys).

USE OF EXISTING FLUES
Thanks to the presence of an upper flue outlet, these stoves can take advantage of the existing flues, thereby optimising the living space and reducing installation costs.

CORNER SOLUTIONS
Stoves designed to take advantage of the corners in a home, which are generally used very little.

WALL-MOUNTED INSTALLATIONS
This is the classic solution: installed in front of a wall (stove) or inserted into the wall (chimney), these products blend in perfectly with the architecture of the room.

SEPARATION OF ROOM
Products that have two or three exposed sides, which allow for a view of the fire from separate rooms, thereby optimising the living space.

COMBUSTION CONTROL SYSTEMS

maestro+

MAESTRO+, THE MOST ADVANCED USER EXPERIENCE

1 / DUAL CONNECTION (WI-FI AND BLUETOOTH) INCLUDED.
Everything you need to use the stove from your smartphone is already included, either at home or remotely Maestro+, without additional kits.

2 / PERFECT FLAME
The combustion with Maestro is optimal, it generates less ash and leaves the glass clean. This results in lower consumptions, lower emissions and much less frequent cleanings.

3 / MORE USER OPTIONS
Maestro stoves adapt to your style of use. When not at home you can use your smartphone (with stove connected via home Wi-Fi router), at home you can control the stove via the concealed control panel, smartphone (via Bluetooth) or remote control (optional).

4 / AUTOMATIC REMOTE FIRMWARE UPDATE
(for WI-FI connected stoves).

5 / REMOTE DIAGNOSTICS AND ASSISTANCE
(except operations that require a technician to be physically present).

MAESTRO+, THE MOST ADVANCED USER EXPERIENCE



1 / DIGITAL PANEL
If you are used to a more traditional style of use, all the features of the Maestro App are also available in a new control panel (standard) that integrates the ordinary and extraordinary features (emergency panel).

2 / FREESTANDING REMOTE CONTROL
Remote control with ambient thermostat for room temperature control, always visible thanks to the e-ink display (optional).

3 / LIGHT REMOTE CONTROL
Maestro+ thermostatic remote control unit. Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection (optional).

4 / APP
For remote stove control at home and away from home, today even easier to use.

easy connect

WI-FI CONNECTIVITY FOR REMOTE CONTROL WITH "EASY CONNECT" DEDICATED APP

Exclusively **for EASY LINE products**, our range of the most user-friendly products.

core

Core is the new firebox with patented technology that has shaken up the pellet combustion world: a wide natural flame similar to wood-fired products, one of the category's lowest emission levels, and pleasing to the eye either on or off. The CORE technology is protected by 3 patents.
Designed by the very flame, the firebox no longer has all the technical parts exposed. The combustion of the gases produced by pellets is harnessed to slow down the flame and provide a unique view of the fire.

Clean glazing for long periods of time thanks to the extremely low level of emissions

Firebox with AISI 304 stainless steel core and cast iron shel

Gasification and post-combustion in several points of the combustion chamber

With its self-cleaning brazier, no brazier cleaning is required

SILENCE IS A LUXURY, TREAT YOURSELF

The Comfort and Overnight modes make operation even quieter.

Thanks to its very low smoke extraction speed, ventilation is almost imperceptible.

MAKO

core

Available for the models:
Eiko, Mako, Curve, Mood, Feel, Ego Air e Comfort Air Matic, Musa/Club/Suite Air Matic, Comfort Air Matic 12 e Comfort Air Matic 14 kW

ONE OF THE CATEGORY'S LOWEST EMISSION LEVELS

Performance is entirely met at all operating power levels.

Core's emission levels fall widely within the strictest European limits.

COMBUSTION CONTROL SYSTEMS

DUCTED AIR

DIFFUSER POSITIONABLE UP TO 8 METRES, FREELY
Comfort Air® can effectively carry the warm air (80°C) into other rooms up to a maximum distance of 8 meters. Unlike traditional systems in which the jets must be positioned at the top, Comfort Air® allows the jets to be freely positioned.

TOTAL AIR DISTRIBUTION CONTROL
Fitting an electronic control unit, Comfort Air® can control up to 2/3 air flows (in closed fireplaces) to distribute heat and convey warm air into various rooms.

EASE OF INSTALLATION AND MAINTENANCE
With a significantly smaller diameter than other models on the market (60 mm and 100 mm), Comfort Air® ensures easier installation of the funnel into the wall, consequently limiting the necessary masonry works, which often take time and are very invasive, and making the fans easier to maintain.

THE FIRST DESIGN DIFFUSERS
Comfort Air® is fitted with air distribution outlets that, for the first time, offer a true design piece. These outlets are ideal for integration into any furnishing, with their minimalist design and exclusive light and aromatherapy function that makes them unique on the market.

FORCED VENTILATION

A TRULY COMPLETE RANGE
To satisfy all requirements, in terms of power and operative functions.

WATER

HOT RADIATORS FAST
Thanks to low thermal inertia, Hydro pellet stoves, once on, are able to heat your domestic radiators in just a few minutes (for some models there are also kits for connection to the hot water system).

MAXIMUM HEAT EXCHANGE
About 90% of power rendered overall by the stove is transferred to the water guaranteeing excellent performance who those choosing radiators for domestic heating.

SYMBOLS USED

POWER — Nominal heat output

Efficiency

Diameter of smoke outlet pipe

Kg — Weight

C A B cm A x B x C — Dimensions - width x depth x height

Fluid heat output

Right corner

Left corner

Pellet stoves / Technologies

	core	maestro+	maestro				kit wi-fi					matic	brushless	no air	quick start	oyster	hydro	comfort air	comfort air	air	natural	
p.19	●	●		●	○	●	●				●	●	●		●	●					●	**Eiko** Natural Matic 6 Core Free
p.19	●	●		●	○	●	●				●	●	●		●	●					●	**Eiko** Natural Matic 6 Core Free UP
p.25	●	●		●	○	●	●				●	●	●	●	●	●				●		**Ego** Core Air Matic 8
p.25	●	●		●	○	●	●				●	●	●	●	●	●			●	●		**Ego** Core Comfort Air Matic 10
p.26		●		●	○	●	●				●		●	●	●	●				●		**Ego** Air 8
p.27		●		●	○	●	●			●	●		●	●	●	●				●		**Ego** Air UP 8
p.27		●		●	○	●	●		●		●		●	●	●	●				●		**Ego** Air XUP 8
p.26		●		●	○	●	●				●		●	●	●	●			●	●		**Ego** Comfort Air 10
p.27		●		●	○	●	●			●	●		●	●	●	●			●	●		**Ego** Comfort Air UP 10
p.91		●		●	○	●	●				●	●	●		●		●					**Ego** Hydro Matic 8
p.91		●		●	○	●	●				●	●	●		●		●					**Ego** Hydro Matic 12
p.30		●		●	○	●	●				●		●	●	●	●				●		**Star** Air 8
p.31		●		●	○	●	●			●	●		●	●	●	●				●		**Star** Air UP 8
p.30		●		●	○	●	●				●		●	●	●	●			●	●		**Star** Comfort Air 10
p.31		●		●	○	●	●			●	●		●	●	●	●			●	●		**Star** Comfort Air UP 10
p.92		●		●	○	●	●				●	●	●		●		●					**Star** Hydro Matic 12
p.33	●	●		●	○	●	●				●	●	●	●	●	●				●		**Musa** Core Air Matic 10
p.33	●	●		●	○	●	●				●	●	●		●			●				**Musa** Core Comfort Air Matic 12
p.33	●	●		●	○	●	●				●	●	●		●			●				**Musa** Core Comfort Air Matic 14
p.34		●		●	○	●	●				●		●	●	●	●				●		**Musa** Air 10

p.35		●		●	○	●	●			●	●		●	●	●	●				●		**Musa** Air UP 10
p.93		●		●	○	●	●				●	●	●		●		●					**Musa** Hydro Matic 18
p.93		●		●	○	●	●				●	●	●		●		●					**Musa** Hydro Matic 24
p.43	●	●		●	○	●	●				●	●	●	●	●	●				●		**Suite** Core Air Matic 10
p.43	●	●		●	○	●	●				●	●	●		●			●				**Suite** Core Comfort Air Matic 12
p.43	●	●		●	○	●	●				●	●	●		●			●				**Suite** Core Comfort Air Matic 14
p.44		●		●	○	●	●				●		●	●	●	●				●		**Suite** Air 10
p.44		●		●	○	●	●			●	●		●	●	●	●				●		**Suite** Air UP 10
p.95		●		●	○	●	●				●	●	●		●		●					**Suite** Hydro Matic 18
p.95		●		●	○	●	●				●	●	●		●		●					**Suite** Hydro Matic 24
p.38	●	●		●	○	●	●				●	●	●	●	●	●				●		**Club** Core Air Matic 10
p.38	●	●		●	○	●	●				●	●	●		●			●				**Club** Core Comfort Air Matic 12
p.38	●	●		●	○	●	●				●	●	●		●			●				**Club** Core Comfort Air Matic 14
p.39		●		●	○	●	●				●		●	●	●	●				●		**Club** Air 10
p.40		●		●	○	●	●			●	●		●	●	●	●				●		**Club** Air UP 10
p.94		●		●	○	●	●				●	●	●		●		●					**Club** Hydro Matic 18
p.94		●		●	○	●	●				●	●	●		●		●					**Club** Hydro Matic 24
p.101		●		●	○	●	●				●	●	●		●		●					**Pad** Hydro Matic 18
p.101		●		●	○	●	●				●	●	●		●		●					**Pad** Hydro Matic 24
p.65		●		●	○		●				●		●	●	●	●				●		**Loop** Air 8
p.58	●	●		●	●		●				●	●	●		●	●				●		**Curve** Air Matic 8 Core UP
p.61	●	●		●	●		●				●	●	●	●	●	●			●			**Mood** Comfort Air Matic 8 Core
p.62		●		●	○	●	●				●		●	●	●	●				●		**Halo** Air 8
p.63		●		●	●		●			●	●		●	●	●	●				●		**Halo** UP Air 8

Easy

	core	maestro+	maestro				kit wi-fi				matic	brushless	no air	quick start	oyster	hydro	comfort air	comfort air	air	natural	
p.20	●	●		●	○	●	●				●	●	●	●	●	●			●	●		**Mako** Core Comfort Air 8
p.48	●	●		●	○	●	●				●	●	●		●	●			●			**Feel** Comfort Air Matic 12 Core
p.48	●	●		●	○	●	●			●	●	●	●		●	●			●			**Feel** Comfort Air Matic 12 Core Up
p.98		●		●	○	●	●				●	●	●		●		●					**Aki** Hydro Matic 18
p.98		●		●	○	●	●				●	●	●		●		●					**Aki** Hydro Matic 24
p.50		●		●	○	●	●				●		●		●	●			●	●		**Ray** Comfort Air 8
p.50		●		●	○	●	●			●	●		●		●	●			●	●		**Ray** Comfort Air 8 UP
p.50		●		●	○	●	●		●		●		●		●	●			●	●		**Ray** Comfort Air 8 XUP
p.46		●		●	○	●	●			●	●		●		●	●				●		**Decò** Air 8
p.47		●		●	○	●	●			●	●		●		●	●				●		**Cute** Air 8
p.22		●		●	○	●	●						●	●	●	●				●		**Tecla** Air 6
p.83				○	○	●		○						●		●				●		**Alea** Air 7
p.83				○	○	●		○	●	●				●		●				●		**Alea** Air 7 XUP
p.84				○	○	●		○			●				●	●			●	●		**Raam** Air 8
p.84				○	○	●		○		●	●				●	●			●	●		**Raam** Air 8 UP
p.106				○		●		○			●				●		●					**Thea** Hydro 16
p.106				○		●		○			●				●		●					**Thea** Hydro 23
p.74				○	○	●		○			●			●		●				●		**Ghea** Air 6

PRODUCTS OVERVIEW > PELLET

	EIKO 6 kW	MAKO 8 kW	TECLA 6,3 kW	ALYSSA 6,3 kW	EGO 8 > 11,9 kW	STAR 8,1 > 11,9 kW	MUSA 10 > 24,2 kW	CLUB 10 > 24,2 kW
CORE	19	20	-	-	25	-	33	38
AIR	-	-	22	23	25>27	30>31	33>35	38>40
COMFORT AIR	-	20	-	-	25>27	30>31	33>35	38>40
HYDRO	-	-	-	-	90	92	93	94
WOOD	-	-	-	-	-	-	-	-

	MOOD 8 kW	HALO 8,1 kW	LOOP 8 kW	CURVE 8,1 kW	MOOD 8,1 kW	FLOW 10 kW	GHEA 6,2/6,3 kW	MIDA 8/8,2 kW
CORE	61	-	-	-	-	-	-	-
AIR	-	62>63	65	-	-	-	74	77
COMFORT AIR	61	-	-	66	69	70	-	-
HYDRO	-	-	-	-	-	-	-	-
WOOD	-	-	-	-	-	-	-	-

	THEA 16,1 > 22,4 kW	VIVO 90/9 8,9 kW	VIVO 90/11 10,9 kW	QBOX 60 6,1 kW	QBOX 70 7,9 kW	VIVO 90 HYDRO 18 > 24,7 kW		
CORE	-	-	-	-	-	-	-	-
AIR	-	-	-	116	117	-	-	-
COMFORT AIR	-	110>111	112>113	-	-	-	-	-
HYDRO	106	-	-	-	-	119	-	-
WOOD	-	-	-	-	-	-	-	-

SUITE 10 > 24,2 kW	**DECÒ** 8 kW	**CUTE** 8 kW	**FEEL** 12 kW	**RAY** 7,8 kW	**STREAM** 11,9 kW	**PHILO** 13,8 kW	**DOC** 8,8 kW	**CURVE** 8 kW
43	-	-	48	-	-	-	-	58
43>45	46	47	-	-	-	-	-	58
43>45	-	-	48	50	52	55	57	-
95	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

TEIA 10 kW	**MAY** 6,2 kW	**ALEA** 6,2/7 kW	**RAAM** 7,8 kW	**HERA** 8,2 kW	**JAZZ** 28,5 kW	**AKI** 17,7 > 24,2 kW	**PAD** 17,7 > 24,2 kW	**CLIO** 16,1 > 22,4 kW
-	-	-	-	-	-	-	-	-
-	81	83	-	86	-	-	-	-
78	-	-	84	-	-	-	-	-
-	-	-	-	-	97	98	101	105
-	-	-	-	-	-	-	-	-

PELLET STOVES_Air/Comfort Air Maestro

23 ALYSSA > Air
36 CLUB/CLUB ABSOLUTE > Core, Air, Comfort Air, Matic
58 CURVE CORE > Core, Air Matic
66 CURVE > Comfort Air
47 CUTE > Air
46 DECÒ > Air
56 DOC > Comfort Air
24 EGO > Core, Air, Comfort Air, Matic
18 EIKO > Core, Natural, Matic
48 FEEL > Core, Comfort Air, Matic
70 FLOW > Comfort Air
62 HALO > Air
64 LOOP > Air
20 MAKO > Comfort Air
60 MOOD > Core, Comfort Air, Matic
68 MOOD > Comfort Air
32 MUSA > Core, Air, Comfort Air, Matic
54 PHILO > Comfort Air
50 RAY > Comfort Air
28 STAR > Air, Comfort Air
52 STREAM > Comfort Air
42 SUITE > Core, Air, Comfort Air, Matic
22 TECLA > Air

core EIKO

	CODE	€
EIKO NATURAL MATIC 6 CORE R	7122083	**3.065,00**
EIKO NATURAL MATIC 6 CORE UP	7124005	**3.167,00**

303 Black metal	6923001	**210,00**
Custom (Grès with a maximum thickness of 3.5 mm)	6923002	**174,00**
251 Materia Corten	6923003	**405,00**
252 Materia Tortora	6923004	**405,00**
253 Materia Piombo	6923005	**405,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Pellet level sensor

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**

EIKO NATURAL MATIC 6 CORE R NEW

Model: EIKO NATURALMATIC 6 M1 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
6	92	8	126-129	0,7-1,4	15

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', 7, brush less
kit wi-fi

A+ A G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

EIKO NATURAL MATIC 6 CORE UP NEW

Model: EIKO NATURALMATIC 6 UP! M1 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
6	92	8	126-129	0,7-1,4	15

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', 7, brush less
kit wi-fi

A+ A G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*



core MAKO

MAKO C.AIR MATIC 8 CORE R

Model: MAKO COMFORT AIRMATIC 8R M1 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
8	92,9	8	161	0,6-1,9	29



A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | fiamme verte 7*

	CODE	€
MAKO C.AIR MATIC 8 CORE R DARK **303**	7124030	**4.244,00**
MAKO C.AIR MATIC 8 CORE R BRONZE **305**	7124031	**4.244,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



TECLA

TECLA AIR 6 R

TOP CHOICE

Model: TECLA AIR 6 M1

POWER kW	%	∅ cm	kg	kg/h	kg
6,3	92	8	90	0,6-1,5	16



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



	CODE	€
TECLA AIR 6 R	7122001	**2.091,00**

	302 White metal	6919006	**118,00**
	308 Dark metal	6919005	**118,00**
	313 Silver metal	6919008	**118,00**
	304 Bordeaux metal	6919007	**118,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		
	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**
	Black "ECO" ash pan	4017019	**42,00**

ALYSSA

ALYSSA AIR 6 R

Model: ALYSSA AIR 6 M1

POWER kW	%	cm	kg	kg/h	kg
6,3	92	8	90	0,6-1,5	16

core	maestro+	easy connect	air	comfort air	comfort air	comfort air +1	no air	hydro
natural	oyster	free	matic	quick start		brush less		
	kit wi-fi							

A A1 G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
ALYSSA AIR 6 R	7122001	**2.091,00**
113 Warm grey ceramic	6919013	**272,00**
105 Bordeaux ceramic	6919014	**272,00**
102 White ceramic	6919015	**272,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Black "ECO" ash pan	4017019	**42,00**



core EGO

	CODE	€
EGO AIR MATIC 8 CORE R	7124029	**2.967,00**
EGO C.AIR MATIC 10 CORE R	7124032	**3.275,00**

	302 White metal	6921001	**292,00**
	308 Dark metal	6921002	**292,00**
	313 Silver metal	6921003	**292,00**
	304 Bordeaux metal	6921004	**292,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		
	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

EGO AIR MATIC 8 CORE R

TOP CHOICE

Model: EGO AIRMATIC 8R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
8	92,9	8	130	0,6-1,9	25

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · fiamme verde 7*

EGO C.AIR MATIC 10 CORE R

TOP CHOICE

Model: EGO COMFORT AIRMATIC 10R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
10	92,9	8	133	0,6-2,3	25

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · fiamme verde 7*



EGO

EGO AIR 8 R

TOP CHOICE

Model: EGO AIR 8 M3

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	127	0,8-1,8	25

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G, 4 STELLE D.M. 186, CONTO TERMICO, fiamme verte 7*

EGO C.AIR 10 R

Model: EGO COMFORT AIR 10 M3

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	130	0,8-2,3	25

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G, 4 STELLE D.M. 186, CONTO TERMICO, fiamme verte 7*



	CODE	€
EGO AIR 8 R	7122038	**2.445,00**
EGO C.AIR 10 R	7122041	**2.706,00**

302 White metal	6921001	**292,00**
308 Dark metal	6921002	**292,00**
313 Silver metal	6921003	**292,00**
304 Bordeaux metal	6921004	**292,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

EGO

EGO AIR 8 UP

TOP CHOICE

Model: EGO AIR 8 UP! M3

POWER kW	%	cm	kg	kg/h	kg
8,1	91,5	8	130	0,8-1,8	21



EGO AIR 8 XUP

TOP CHOICE

Model: EGO AIR 8 XUP! M3

POWER kW	%	cm	kg	kg/h	kg
8,1	91,5	8/13	130	0,8-1,8	21



EGO C.AIR 10 UP

Model: EGO COMFORT AIR 10 UP! M3

POWER kW	%	cm	kg	kg/h	kg
10	91,5	8	133	0,8-2,3	21





	CODE	€
EGO AIR 8 UP	7122039	**2.604,00**
EGO AIR 8 XUP	7122040	**2.762,00**
EGO C.AIR 10 UP	7122042	**2.921,00**

302 White metal	6921001	**292,00**
308 Dark metal	6921002	**292,00**
313 Silver metal	6921003	**292,00**
304 Bordeaux metal	6921004	**292,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125 — 4019014 — **53,00**

>>>

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

NEW YORK
NOISE
PARIS
MON AMOUR
Intérieurs
parisiens

STAR

	CODE	€
STAR AIR 8 R	7122043	**2.409,00**
STAR C.AIR 10 R	7122045	**2.609,00**

	102 White ceramic	6921005	**610,00**
	126 Matt black ceramic	6921007	**610,00**
	113 Warm grey ceramic	6921008	**610,00**
	105 Bordeaux ceramic	6921006	**610,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

STAR AIR 8 R

TOP CHOICE

Model: STAR AIR 8 M3

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	127	0,8-1,8	25



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

STAR C.AIR 10 R

TOP CHOICE

Model: STAR COMFORT AIR 10 M3

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	130	0,8-2,3	25



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



STAR

	CODE	€
STAR AIR 8 UP	7122044	**2.547,00**
STAR C.AIR 10 UP	7122046	**2.824,00**

102 White ceramic	6921005	**610,00**
126 Matt black ceramic	6921007	**610,00**
113 Warm grey ceramic	6921008	**610,00**
105 Bordeaux ceramic	6921006	**610,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

STAR AIR 8 UP

TOP CHOICE

Model: STAR AIR 8 UP! M3

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	130	0,8-1,8	21

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 4 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

STAR C.AIR 10 UP

Model: STAR COMFORT AIR 10 UP! M3

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	133	0,8-2,3	21

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 4 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*



MUSA

MUSA AIR MATIC 10 CORE R

Model: MUSA AIRMATIC 10R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
10	92,9	8	165	0,6-2,3	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

MUSA C.AIR MATIC 12 CORE R

Model: MUSA COMFORT AIRMATIC 12R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
12	93,8	8	183	1,1-2,7	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

MUSA C.AIR MATIC 14 CORE R

TOP CHOICE

Model: MUSA COMFORT AIRMATIC 14R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
14,1	93,8	8	183	1,1-3,2	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

	CODE	€
MUSA AIR MATIC 10 CORE R	7124034	**3.080,00**
MUSA C.AIR MATIC 12 CORE R	7124036	**3.506,00**
MUSA C.AIR MATIC 14 CORE R	7124038	**3.716,00**

302 White metal	6921026	**420,00**
308 Dark metal	6921027	**420,00**
313 Silver metal	6921028	**420,00**
304 Bordeaux metal	6921029	**420,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



MUSA

MUSA AIR 10 R

TOP CHOICE

Model: MUSA AIR 10 M3

POWER kW	%	Ø cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

MUSA C.AIR 12 R

Model: MUSA COMFORT AIR 12 M3

POWER kW	%	Ø cm	kg	kg/h	kg
11,9	93,5	8	180	0,9-2,7	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
MUSA AIR 10 R	7122053	**2.563,00**
MUSA C.AIR 12 R	7122055	**3.014,00**

302 White metal	6921026	**420,00**
308 Dark metal	6921027	**420,00**
313 Silver metal	6921028	**420,00**
304 Bordeaux metal	6921029	**420,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



MUSA

MUSA AIR 10 UP

TOP CHOICE

Model: MUSA AIR 10 UP! M3

POWER kW	%	cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

MUSA C.AIR 12 UP

Model: MUSA COMFORT AIR 12 UP! M3

POWER kW	%	cm	kg	kg/h	kg
11,9	93,5	8	183	0,9-2,7	26



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

MUSA C.AIR 14 UP

Model: MUSA COMFORT AIR 14 UP! M3

POWER kW	%	cm	kg	kg/h	kg
13,8	93,5	8	183	0,9-3,1	26



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



	CODE	€
MUSA AIR 10 UP	7122054	**2.768,00**
MUSA C.AIR 12 UP	7122056	**3.229,00**
MUSA C.AIR 14 UP	7122057	**3.439,00**

302 White metal	6921026	**420,00**
308 Dark metal	6921027	**420,00**
313 Silver metal	6921028	**420,00**
304 Bordeaux metal	6921029	**420,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**
XUP FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air	4021010	**191,00**
>>> **Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

CLUB AIR MATIC 10 CORE R

Model: CLUB AIR MATIC 10R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
10	92,9	8	165	0,6-2,3	30

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

CLUB C.AIR MATIC 12 CORE R

Model: CLUB COMFORT AIR MATIC 12R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
12	93,8	8	183	1,1-2,7	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

CLUB C.AIR MATIC 14 CORE R

TOP CHOICE

Model: CLUB COMFORT AIR MATIC 14R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
14,1	93,8	8	183	1,1-3,2	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

CLUB CERAMIC



CLUB ABSOLUTE



	CODE	€
CLUB AIR MATIC 10 CORE R	7124033	**3.152,00**
CLUB C.AIR MATIC 12 CORE R	7124035	**3.608,00**
CLUB C.AIR MATIC 14 CORE R	7124037	**3.875,00**

102 White ceramic	6921018	**687,00**
126 Matt Black ceramic	6921020	**687,00**
109 Sand ceramic	6921021	**687,00**
105 Bordeaux ceramic	6921019	**687,00**
126 Matt Black + **308** Dark > **CLUB ABSOLUTE (1)**	6922021	**354,00**
102 White + **308** Dark > **CLUB ABSOLUTE (2)**	6922022	**354,00**
126 Matt Black + **302** White > **CLUB ABSOLUTE (3)**	6922023	**354,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

>>>

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

CLUB

CLUB AIR 10 R

TOP CHOICE

Model: CLUB AIR 10 M3

POWER kW	%	cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro
natural · oyster · free · matic · quick start 3' · brush less
kit wi-fi

A+ A-G · 4 STELLE D.M. 186 · CONTO TERMICO · fiamme verde 7*

CLUB C.AIR 12 R

Model: CLUB COMFORT AIR 12 M3

POWER kW	%	cm	kg	kg/h	kg
11,9	93,5	8	180	0,9-2,7	30

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro
natural · oyster · free · matic · quick start 3' · brush less
kit wi-fi

A+ A-G · 4 STELLE D.M. 186 · CONTO TERMICO · fiamme verde 7*

	CODE	€
CLUB AIR 10 R	7122049	**2.680,00**
CLUB C.AIR 12 R	7122051	**3.131,00**

102 White ceramic	6921018	**687,00**
126 Matt Black ceramic	6921020	**687,00**
109 Sand ceramic	6921021	**687,00**
105 Bordeaux ceramic	6921019	**687,00**
126 Matt Black + **308** Dark > **CLUB ABSOLUTE (1)**	6922021	**354,00**
102 White + **308** Dark > **CLUB ABSOLUTE (2)**	6922022	**354,00**
126 Matt Black + **302** White > **CLUB ABSOLUTE (3)**	6922023	**354,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

CLUB CERAMIC



CLUB ABSOLUTE



CLUB

CLUB AIR 10 UP

TOP CHOICE

Model: CLUB AIR 10 UP! M3

POWER kW	%	cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30

core | maestro+ | easy connect | air | comfort air | comfort air | comfort air +1 | no air | hydro
natural | oyster | free | matic | quick start 3' | | brush less | | |
kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7* | |

CLUB C.AIR 12 UP

Model: CLUB COMFORT AIR 12 UP! M3

POWER kW	%	cm	kg	kg/h	kg
11,9	93,5	8	183	0,9-2,7	26

core | maestro+ | easy connect | air | comfort air | comfort air | comfort air +1 | no air | hydro
natural | oyster | free | matic | quick start 3' | | brush less | | |
kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7* | |

CLUB CERAMIC



CLUB ABSOLUTE



	CODE	€
CLUB AIR 10 UP	7122050	**2.937,00**
CLUB C.AIR 12 UP	⌛ 7122052	**3.398,00**

102 White ceramic	6921018	**687,00**
126 Matt Black ceramic	6921020	**687,00**
109 Sand ceramic	6921021	**687,00**
105 Bordeaux ceramic	6921019	**687,00**
126 Matt Black + **308** Dark > **CLUB ABSOLUTE (1)**	⌛ 6922021	**354,00**
102 White + **308** Dark > **CLUB ABSOLUTE (2)**	⌛ 6922022	**354,00**
126 Matt Black + **302** White > **CLUB ABSOLUTE (3)**	⌛ 6922023	**354,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**
XUP FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air	4021006	**191,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

CLUB

CLUB ABSOLUTE

(**1**)

126 + 308

(**2**)

102 + 308

(**3**)

126 + 302

SUITE

SUITE AIR MATIC 10 CORE R

Model: SUITE AIRMATIC 10R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
10	92,9	8	165	0,6-2,3	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

SUITE C.AIR MATIC 12 CORE R

Model: SUITE COMFORT AIRMATIC 12R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
12	93,8	8	183	1,1-2,7	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

SUITE C.AIR MATIC 14 CORE R

TOP CHOICE

Model: SUITE COMFORT AIRMATIC 14R M3 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
14,1	93,8	8	183	1,1-3,2	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

	CODE	€
SUITE AIR MATIC 10 CORE R	7124033	**3.152,00**
SUITE C.AIR MATIC 12 CORE R	7124035	**3.608,00**
SUITE C.AIR MATIC 14 CORE R	7124037	**3.875,00**

113 Warm Grey ceramic	6921017	**687,00**
105 Bordeaux ceramic	6921015	**687,00**
126 Matt Black ceramic	6921016	**687,00**
110 Salt and pepper ceramic	6921014	**687,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

>>>

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



SUITE

SUITE AIR 10 R

TOP CHOICE

Model: SUITE AIR 10 M3

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

SUITE C.AIR 12 R

Model: SUITE COMFORT AIR 12 M3

POWER kW	%	∅ cm	kg	kg/h	kg
11,9	93,5	8	180	0,9-2,7	30

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
SUITE AIR 10 R	7122049	**2.680,00**
SUITE C.AIR 12 R	7122051	**3.131,00**

113 Warm Grey ceramic	6921017	**687,00**
105 Bordeaux ceramic	6921015	**687,00**
126 Matt Black ceramic	6921016	**687,00**
110 Salt and pepper ceramic	6921014	**687,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



SUITE

SUITE AIR 10 UP

TOP CHOICE

Model: SUITE AIR 10 UP! M3

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	165	0,8-2,3	30

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

SUITE C.AIR 12 UP

Model: SUITE COMFORT AIR 12 UP! M3

POWER kW	%	∅ cm	kg	kg/h	kg
11,9	93,5	8	183	0,9-2,7	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

	CODE	€
SUITE AIR 10 UP	7122050	**2.937,00**
SUITE C.AIR 12 UP	7122052	**3.398,00**

113 Warm Grey ceramic	6921017	**687,00**
105 Bordeaux ceramic	6921015	**687,00**
126 Matt Black ceramic	6921016	**687,00**
110 Salt and pepper ceramic	6921014	**687,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**
XUP FITTING FOR COAXIAL FLUES - Ø mm 80/130 Flue fitting for airtight stoves that use the coaxial smoke duct to evacuate the smoke and also to draw in the combustion air	4021006	**191,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



DECÒ

DECÒ AIR 8 UP

TOP CHOICE

Model: DECÒ AIR 8 M1

POWER kW	%	∅ cm	kg	kg/h	kg
8	94,3	8/10	200	0,5-1,8	15



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
DECO AIR 8 UP	7122005	**3.875,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Rear smoke outlet kit Ø 8 cm	4019015	**74,00**
Pipes and accessories for connection Ø 10 cm		
Straight pellet pipe L 25 cm - Ø 10 cm	40A11005	**37,00**
Straight pellet pipe L 50 cm - Ø 10 cm	40A11006	**42,00**
Straight pellet pipe L 100 cm - Ø 10 cm	40A11007	**53,00**
90° bend - Ø 10 cm	40A11003	**69,00**
"T"joint - Ø 10 cm	40A11004	**80,00**
45° bend - Ø 10 cm	40A12018	**53,00**
90° bend that is easy to inspect - Ø 10 cm	40A12019	**74,00**
Pipe clamp - Ø 10 cm	40A12020	**32,00**
Rose - Ø 10 cm	40A12021	**22,00**
Silicone gasket - Ø 10 cm - Pack of 5 pieces	40A12022	**22,00**
Joint F/F - Ø 10/10 cm	4013009	**42,00**
Joint F/F - Ø 10/10 cm	4013010	**37,00**



CUTE

CUTE AIR 8 UP

Model: CUTE AIR 8 M1

POWER kW	%	Ø cm	kg	kg/h	kg
8	94,3	8/10	145	0,5-1,8	15



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
CUTE AIR 8 UP	7122002	**3.260,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Part of the top - Cute/Thema In the case of installation with a rear smoke outlet	4019010	**53,00**

Pipes and accessories for connection Ø 10 cm

Straight pellet pipe L 25 cm - Ø 10 cm	40A11005	**37,00**
Straight pellet pipe L 50 cm - Ø 10 cm	40A11006	**42,00**
Straight pellet pipe L 100 cm - Ø 10 cm	40A11007	**53,00**
90° bend - Ø 10 cm	40A11003	**69,00**
"T"joint - Ø 10 cm	40A11004	**80,00**
45° bend - Ø 10 cm	40A12018	**53,00**
90° bend that is easy to inspect - Ø 10 cm	40A12019	**74,00**
Pipe clamp - Ø 10 cm	40A12020	**32,00**
Rose - Ø 10 cm	40A12021	**22,00**
Silicone gasket - Ø 10 cm - Pack of 5 pieces	40A12022	**22,00**
Joint F/F - Ø 10/10 cm	4013009	**42,00**
Joint F/F - Ø 10/10 cm	4013010	**37,00**



core FEEL

	CODE	€
FEEL C.AIR MATIC 12 CORE R	7124003	**3.946,00**
FEEL C.AIR MATIC 12 CORE UP	7124007	**4.069,00**

Custom (Grès with a maximum thickness of 3.5 mm)	6923011	**200,00**
251 Materia Corten	6923012	**328,00**
252 Materia Tortora	6923013	**328,00**
253 Materia Piombo	6923014	**328,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Pellet level sensor

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

FEEL C. AIR MATIC 12 CORE R NEW

Model: FEEL COMFORT AIRMATIC 12 M1 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
12	93,8	8	180	1,1-2,7	31

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

FEEL C. AIR MATIC 12 CORE UP NEW

Model: FEEL COMFORT AIRMATIC 12 UP! M1 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
12	93,8	8	180	1,1-2,7	31

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*



RAY

RAY C.AIR 8 R

Model: RAY COMFORT AIR 8 M2

POWER kW	%	∅ cm	kg	kg/h	kg
7,8	90,2	8	155	0,8-1,8	18

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

RAY C.AIR 8 UP

TOP CHOICE

Model: RAY COMFORT AIR 8 UP! M2

POWER kW	%	∅ cm	kg	kg/h	kg
7,8	90,2	8	155	0,8-1,8	18

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

RAY C.AIR 8 XUP

Model: RAY COMFORT AIR 8 XUP! M2

POWER kW	%	∅ cm	kg	kg/h	kg
7,8	90,2	8/13	155	0,8-1,8	18

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*

	CODE	€
RAY C.AIR 8 R	7122064	**3.024,00**
RAY C.AIR 8 UP	7124009	**3.116,00**
RAY C.AIR 8 XUP	7122066	**3.260,00**

102 White ceramic	6918009	**502,00**
105 Bordeaux ceramic	6918010	**502,00**
107 Black ceramic	6918011	**502,00**
240 Serpentino	6918012	**523,00**
308 Dark metal	6920031	**364,00**
302 White metal	6920032	**364,00**
304 Bordeaux metal	6920033	**364,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**
Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

RAY METAL



RAY CERAMIC



RAY

STREAM

	CODE	€
STREAM C.AIR 12 R	7122058	**3.593,00**
STREAM C.AIR 12 UP	7122059	**3.716,00**

	308 Dark metal	6920058	**261,00**
	302 White metal	6920056	**261,00**
	304 Bordeaux metal	6920057	**261,00**
	240 Serpentino	6920059	**630,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

STREAM C.AIR 12 R

Model: STREAM COMFORT AIR 12 M2

POWER kW	%	∅ cm	kg	kg/h	kg
11,9	93,5	8	180/235	0,9-2,7	27



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

STREAM C.AIR 12 UP

Model: STREAM COMFORT AIR 12 UP! M2

POWER kW	%	∅ cm	kg	kg/h	kg
11,9	93,5	8	180/235	0,9-2,7	27



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



STREAM

Air flows adjustable as needed.

PHILO

	CODE	€
PHILO C.AIR 14 R	7122060	**4.033,00**
PHILO C.AIR 14 UP	7122061	**4.151,00**

	303 Black metal	6922002	**395,00**
	305 Bronze metal	6922005	**395,00**
	302 White metal	6922001	**395,00**
	304 Bordeaux metal	6922004	**395,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

PHILO C.AIR 14 R

Model: PHILO COMFORT AIR 14 M2

POWER kW	%	Ø cm	kg	kg/h	kg
13,8	93,5	8	200	0,9-3,1	26



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

PHILO C.AIR 14 UP

Model: PHILO COMFORT AIR 14 UP M2

POWER kW	%	Ø cm	kg	kg/h	kg
13,8	93,5	8	200	0,9-3,1	26



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



DOC

	CODE	€
DOC C.AIR 9 R	7122069	**3.295,00**
DOC C.AIR 9 UP	7124010	**3.383,00**

	303 Black metal	6917015	**185,00**
	315 Aluminium metal	6917016	**185,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

DOC C.AIR 9 R

Model: DOC COMFORT AIR 9 M2

POWER kW	%	Ø cm	kg	kg/h	kg
8,8	90,9	8	148	0,8-1,9	12



A+ A-G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

DOC C.AIR 9 UP

Model: DOC COMFORT AIR 9 UP! M2

POWER kW	%	Ø cm	kg	kg/h	kg
8,8	90,9	8	148	0,8-1,9	12



A+ A-G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



core CURVE

	CODE	€
CURVE AIR MATIC 8 CORE UP	7124001	**3.946,00**

	126 Matt Black ceramic	6923015	**1.020,00**
	113 Warm grey ceramic	6923016	**1.020,00**
	102 White ceramic	6923018	**1.020,00**
	127 Taupe ceramic	6924001	**1.020,00**

maestro+	**Maestro smartphone app** (free download)		
	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display		
°C	**Temperature probe**		

	Pellet level sensor	4018005	**100,00**

CURVE AIR MATIC 8 CORE UP NEW

Model: CURVE AIRMATIC 8 UP! M2 CORE

POWER kW	%	cm	kg	kg/h	kg
8	92,9	8	130	0,6-1,9	18

core	maestro+	easy connect	air	comfort air	comfort air	comfort air +1	no air	hydro
natural	oyster	free	matic	quick start 3'		brush less		
	kit wi-fi							

A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | flamme VERTE 7*



CURVE

core MOOD

	CODE	€
MOOD C. AIR MATIC 8 CORE R	7124002	**3.987,00**

303 Black metal	6923019	**513,00**
305 Bronze metal	6923020	**513,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor	4018005	**100,00**

MOOD C. AIR MATIC 8 CORE R NEW

Model: MOOD COMFORT AIRMATIC 8 M2 CORE

POWER kW	%	∅ cm	kg	kg/h	kg
8	92,9	8	145	0,6-1,9	21

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A A1 G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*



HALO

HALO AIR 8 R

TOP CHOICE

Model: HALO AIR 8 M2

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	130	0,8-1,8	21



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7* |

	CODE	€
HALO AIR 8 R	7122076	**3.044,00**
303 Black metal	6916015	**241,00**
313 Silver metal	6916016	**241,00**
315 Aluminium metal	6916017	**241,00**
304 Aluminium metal	6916018	**241,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
Pellet level sensor	4018005	**100,00**





HALO

	CODE	€
HALO AIR 8 UP	7122022	**3.552,00**
HALO AIR 8 XUP	7124040	**3.716,00**

303 Black metal	6916015	**241,00**
313 Silver metal	6916016	**241,00**
315 Aluminium metal	6916017	**241,00**
304 Aluminium metal	6916018	**241,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor 4018005 **100,00**

HALO HALO AIR 8 UP

Model: HALO AIR 8 UP! M2

POWER kW	%	cm	kg	kg/h	kg
8,1	91,5	8	130	0,8-1,8	18

HALO HALO AIR 8 XUP NEW

Model: HALO AIR 8 XUP! M2

POWER kW	%	cm	kg	kg/h	kg
8,1	91,5	8/13	130	0,8-1,8	18



LOOP

LOOP

LOOP AIR 8 R

TOP CHOICE

Model: LOOP AIR 8 M2

POWER kW	%	∅ cm	kg	kg/h	kg
8	92	8	130	0,6-1,8	21



A A 1 G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
LOOP AIR 8 R	7122094	**3.024,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display — 4022002 — **234,00**

LIGHT Maestro thermostatic remote control unit
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves — 4024002 — **71,00**

Pellet level sensor — 4018005 — **100,00**

Black "ECO" ash pan — 4017019 — **42,00**



CURVE

	CODE	€
CURVE C.AIR 8 R	7122023	3.700,00

107 Black ceramic	6916001	953,00
113 Warm grey ceramic	6916002	953,00
105 Bordeaux ceramic	6916003	953,00
102 White ceramic	6916019	953,00

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor	4018005	100,00
Black "LOW" ash pan	4017018	64,00

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

CURVE C.AIR 8 R

Model: CURVE COMFORT AIR 8 M2

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	130	0,8-1,8	21

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro
natural · oyster · free · matic · quick start 3' · brush less
kit wi-fi

A+ A G · 4 STELLE D.M. 186 · CONTO TERMICO · Flamme Verte 7*



CURVE

MOOD

	CODE	€
MOOD C.AIR 8 R BLACK - **303** Black metal	7122024	**4.136,00**
MOOD C.AIR 8 R SILVER - **313** Silver metal	7122025	**4.136,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor	4018005	**100,00**
Black "LOW" ash pan	4017018	**64,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

MOOD C.AIR 8 R

Model: MOOD COMFORT AIR 8 M2

POWER kW	%	∅ cm	kg	kg/h	kg
8,1	91,5	8	145	0,8-1,8	21

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro
natural · oyster · free · matic · quick start 3' · · brush less
kit wi-fi

A A 1 G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*



FLOW

	CODE	€
FLOW C.AIR 10 R	7122027	**3.977,00**

	102 Plain White Ceramic	6920017	**379,00**
	107 Plain Black Ceramic	6920018	**379,00**
	102 Line White Ceramic	6920019	**456,00**
	105 Line Bordeaux Ceramic	6920020	**456,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display



Temperature probe

Pellet level sensor 4018005 **100,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories

FLOW C.AIR 10 R

Model: FLOW COMFORT AIR 10 M2

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	130	0,8-2,3	21





FLOW

STOVES WITH SMOKE OUTLET REAR or UP/XUP

Eiko R · Eiko UP / p. 18



Ego R · Ego UP · Ego XUP / p. 24

Star R · Star UP / p. 28

Musa R · Musa UP / p. 32

Club R · Club UP / p. 36

Suite R · Suite UP / p. 42

Decò R/UP / p. 46

Cute R/UP / p. 47

Feel R · Feel UP / p. 48

Ray R · Ray UP · Ray XUP / p. 50

Stream R · Stream UP/ p. 52

Philo R · Philo UP / p. 54

Doc R · Doc UP / p. 56

Halo R · Halo UP / p. 62

PELLET STOVES_Air/Comfort Air Easy

82 ALEA > Air

74 GHEA > Air

86 HERA > Air

80 MAY > Air

76 MIDA > Air

84 RAAM > Comfort Air

78 TEIA > Comfort Air

GHEA

	CODE	€
GHEA AIR 6 R	7122014	**1.912,00**
GHEA AIR 6 XUP	7122013	**2.347,00**

	302 White metal	6922008	**118,00**
	308 Dark metal	6922006	**118,00**
	313 Silver metal	6922007	**118,00**
	304 Bordeaux metal	6922009	**118,00**

	Temperature probe		
	Remote control	4015012	**53,00**
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**

GHEA AIR 6 R

TOP CHOICE

Model: GHEA AIR 6 S1

POWER kW	%	cm	kg	kg/h	kg
6,3	96,9	8/13	100	0,5-1,4	17



A A G | 4 STELLE D.M. 186 | flamme verte 7★

GHEA AIR 6 XUP

Model: GHEA AIR 6 XUP! S1

POWER kW	%	cm	kg	kg/h	kg
6,3	96,9	8/13	103	0,5-1,4	13



A A G | 4 STELLE D.M. 186 | flamme verte 7★



MIDA

MIDA

	CODE	€
MIDA AIR 8 R	7122016	**2.019,00**
MIDA AIR 8 XUP	7122015	**2.445,00**

	302 White metal	6922012	**123,00**
	308 Dark metal	6922010	**123,00**
	313 Silver metal	6922011	**123,00**
	304 Bordeaux metal	6922013	**123,00**

	Temperature probe		
	Remote control	4015012	**53,00**
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**

MIDA AIR 8 R

TOP CHOICE

Model: MIDA AIR 8 S1

POWER kW	%	cm	kg	kg/h	kg
8,2	96,9	8/13	105	0,5-1,9	14



A A+ G | 4 STELLE D.M. 186 | flamme VERTE 7★

MIDA AIR 8 XUP

Model: MIDA AIR 8 XUP! S1

POWER kW	%	cm	kg	kg/h	kg
8,2	96,9	8/13	105	0,5-1,9	14



A A+ G | 4 STELLE D.M. 186 | flamme VERTE 7★



TEIA

	CODE	€
TEIA C.AIR 10 R	7122062	**2.388,00**
TEIA C.AIR 10 UP	7122063	**2.655,00**

	308 Dark metal	6922014	**215,00**
	302 White metal	6922015	**215,00**
	304 Bordeaux metal	6922016	**215,00**

°C	**Temperature probe**		
	Remote control	4015012	**53,00**
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Black "LOW" ash pan	4017018	**64,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

TEIA C.AIR 10 R

TOP CHOICE

Model: TEIA COMFORT AIR 10 S2

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	132	0,8-2,3	27

core, maestro, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G, 4 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*

TEIA C.AIR 10 UP

Model: TEIA COMFORT AIR 10 UP! S2

POWER kW	%	∅ cm	kg	kg/h	kg
10	91,5	8	135	0,8-2,3	25

core, maestro, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G, 4 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*



TEIA

MAY

MAY

MAY AIR 7 R 5S

NEW TOP CHOICE

Model: MAY AIR 7 S2 5S

POWER kW	%	cm	kg	kg/h	kg
6,2	92	8	102	0,6/1,4	17

core, maestro, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
MAY AIR 7 R 5S	7124051	**1.635,00**

308 Dark metal	6920001	**159,00**
302 White metal	6920002	**159,00**
304 Bordeaux metal	6920003	**159,00**
313 Silver metal	6920004	**159,00**



Temperature probe

Remote control 4015012 **53,00**

Kit Wi-Fi Easy Connect 4020003 **80,00**
For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.



ALEA

ALEA

	CODE	€
ALEA AIR 7 R	7121060	**2.060,00**
ALEA AIR 7 XUP	7121059	**2.445,00**

	308 Dark metal	6921042	**179,00**
	302 White metal	6921040	**179,00**
	304 Bordeaux metal	6921043	**179,00**
	313 Silver metal	6921041	**179,00**



Temperature probe

	Pipes required for installation: 90° Curve **Only for "R" stoves** Painted curve with silicone gasket for installation with rear smoke outlet. Ø cm 8	4022008	**37,00**
	Remote control	4015012	**53,00**
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Adapter for coaxial flues only for XUP stoves mm 80/130 » 80/125	4019014	**53,00**

ALEA AIR 7 R

TOP CHOICE

Model: ALEA AIR 7 S1

POWER kW	%	cm	kg	kg/h	kg
7	93,1	8	80	0,6-1,7	12



A A+ G | 4 STELLE D.M. 186 | flamme verte 7★

ALEA AIR 7 XUP

Model: ALEA AIR 7 S1 XUP!

POWER kW	%	cm	kg	kg/h	kg
7	93,1	8/13	80	0,6-1,7	12



A A+ G | 4 STELLE D.M. 186 | flamme verte 7★



RAAM

RAAM C.AIR 8 R

Model: RAAM COMFORT AIR 8 S2

POWER kW	%	cm	kg	kg/h	kg
7,8	90,2	8	155	0,8-1,8	18



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

RAAM C.AIR 8 UP

Model: RAAM COMFORT AIR 8 UP! S2

POWER kW	%	cm	kg	kg/h	kg
7,8	90,2	8	155	0,8-1,8	18



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
RAAM C.AIR 8 R	7122067	**2.865,00**
RAAM C.AIR 8 UP	7124008	**2.952,00**

	302 White metal	6918005	**328,00**
	308 Dark metal	6918006	**328,00**
	313 Silver metal	6918007	**328,00**
	304 Bordeaux metal	6918008	**328,00**



Temperature probe

Remote control 4015012 **53,00**

Kit Wi-Fi Easy Connect 4020003 **80,00**
For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.

>>>

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



RAAM

HERA

HERA AIR 8 XUP

TOP CHOICE

Model: HERA AIR 8 XUP! S1

POWER kW	%	cm	kg	kg/h	kg
8,2	96,9	8/13	80	0,5-1,9	18



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
HERA AIR 8 XUP	7122077	**2.481,00**

308 Dark metal	6921013	**144,00**
302 White metal	6921011	**159,00**
305 Bronze metal	6921010	**164,00**
313 Silver metal	6921012	**159,00**



Temperature probe

Remote control 4015012 **53,00**

Kit Wi-Fi Easy Connect 4020003 **80,00**
For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.

Adapter for coaxial flues only for XUP stoves 4019014 **53,00**
mm 80/130 » 80/125



STOVES WITH SMOKE OUTLET REAR or UP/XUP

Ghea R · Ghea XUP / p. 74 REAR XUP 	Mida R · Mida XUP / p. 76 REAR XUP 	Teia R · Teia UP / p. 78 REAR UP
Alea R · Alea XUP / p. 82 REAR XUP 	Raam R · Raam UP / p. 84 REAR UP 	Hera R · Hera XUP / p. 86 REAR XUP

PELLET STOVES_Hydro Maestro

98 AKI > Hydromatic

94 CLUB > Hydromatic

90 EGO > Hydromatic

96 JAZZ > Hydromatic

93 MUSA > Hydromatic

100 PAD > Hydromatic

92 STAR > Hydromatic

95 SUITE > Hydromatic

EGO

EGO
Hydromatic

STAR
Hydromatic

MUSA
Hydromatic

CLUB
CLUB ABSOLUTE
Hydromatic

SUITE
Hydromatic

EGO

	CODE	€
EGO HYDRO MATIC 8 R	7122079	**3.680,00**
EGO HYDRO MATIC 12 R	7122080	**3.946,00**

	302 White metal	6921001	**292,00**
	308 Dark metal	6921002	**292,00**
	313 Silver metal	6921003	**292,00**
	304 Bordeaux metal	6921004	**292,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	Pellet level sensor	4018005	**100,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
	Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**

EGO HYDRO MATIC 8 R

NEW

Model: EGO HYDROMATIC 8 M3

POWER kW	%	∅ cm	kg	kg/h	kg
8 (6 H_2O)	93,1	8	138	0,9/1,8	20



EGO HYDRO MATIC 12 R

NEW

Model: EGO HYDROMATIC 12 M3

POWER kW	%	∅ cm	kg	kg/h	kg
12,1 (9,4 H_2O)	93,1	8	137	0,9/2,8	20





STAR

STAR HYDRO MATIC 12 R

Model: STAR HYDROMATIC 12 M2

POWER kW	%	cm	kg	kg/h	kg
11,9 (10 H_2O)	96,1	8	147	0,7-2,7	20



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
STAR HYDRO MATIC 12 R	7121017	**3.798,00**

	102 White ceramic	6921005	**610,00**
	126 Matt black ceramic	6921007	**610,00**
	113 Warm grey ceramic	6921008	**610,00**
	105 Bordeaux ceramic	6921006	**610,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
Pellet level sensor	4018005	**100,00**
Pressure gauge	4018035	**48,00**
NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**



MUSA

	CODE	€
MUSA HYDRO MATIC 18 R	7121039	**3.977,00**
MUSA HYDRO MATIC 24 R	7121040	**4.551,00**

302 White metal	6921026	**420,00**
308 Dark metal	6921027	**420,00**
313 Silver metal	6921028	**420,00**
304 Bordeaux metal	6921029	**420,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
Pellet level sensor	4018005	**100,00**
Pressure gauge	4018035	**48,00**
NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**

MUSA HYDRO MATIC 18 R

Model: MUSA HYDROMATIC 18 M2

POWER kW	%	∅ cm	kg	kg/h	kg
17,7 (12,7 H_2O)	95,9	8	197	1-3,9	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7* · BAFA

MUSA HYDRO MATIC 24 R

Model: MUSA HYDROMATIC 24 M2

POWER kW	%	∅ cm	kg	kg/h	kg
24,2 (18,2 H_2O)	95,9	8	197	1-5,4	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7* · BAFA



CLUB

	CODE	€
CLUB HYDRO MATIC 18 R	7121027	**4.141,00**
CLUB HYDRO MATIC 24 R	7121029	**4.751,00**

	102 White ceramic	6921018	**687,00**
	126 Matt Black ceramic	6921020	**687,00**
	109 Sand ceramic	6921021	**687,00**
	105 Bordeaux ceramic	6921019	**687,00**
	126 Matt Black + **308** Dark > **CLUB ABSOLUTE (1)**	⌛ 6922021	**354,00**
	102 White + **308** Dark > **CLUB ABSOLUTE (2)**	⌛ 6922022	**354,00**
	126 Matt Black + **302** White > **CLUB ABSOLUTE (3)**	⌛ 6922023	**354,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	Pellet level sensor	4018005	**100,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
	Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**

CLUB HYDRO MATIC 18 R

Model: CLUB HYDROMATIC 18 M2

POWER kW	%	∅ cm	kg	kg/h	kg
17,7 (12,7 H_2O)	95,9	8	197	1-3,9	26



A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7* | BAFA

CLUB HYDRO MATIC 24 R

Model: CLUB HYDROMATIC 24 M2

POWER kW	%	∅ cm	kg	kg/h	kg
24,2 (18,2 H_2O)	95,9	8	197	1-5,4	26



A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7* | BAFA

CLUB CERAMIC



SUITE

	CODE	€
SUITE HYDRO MATIC 18 R	7121027	**4.141,00**
SUITE HYDRO MATIC 24 R	7121029	**4.751,00**

	113 Warm Grey ceramic	6921017	**687,00**
	105 Bordeaux ceramic	6921015	**687,00**
	126 Matt Black ceramic	6921016	**687,00**
	110 Salt and pepper ceramic	6921014	**687,00**

maestro+	**Maestro smartphone app** (free download)		
	Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel		
°C	**Temperature probe**		

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	Pellet level sensor	4018005	**100,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
	Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**

SUITE HYDRO MATIC 18 R

Model: SUITE HYDROMATIC 18 M2

POWER kW	%	∅ cm	kg	kg/h	kg
17,7 (12,7 H_2O)	95,9	8	197	1-3,9	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7* · BAFA

SUITE HYDRO MATIC 24 R

Model: SUITE HYDROMATIC 24 M2

POWER kW	%	∅ cm	kg	kg/h	kg
24,2 (18,2 H_2O)	95,9	8	197	1-5,4	26

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro · natural · oyster · free · matic · quick start 3' · brush less · kit wi-fi

A+ A G · 5 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7* · BAFA



JAZZ

JAZZ HYDRO MATIC 30 R

Model: JAZZ HYDROMATIC 30 M1

POWER kW	%	∅ cm	kg	kg/h	kg
28,5 (27,1 H_2O)	94,4	10	292	1,7-6,3	47



	CODE	€
JAZZ HYDRO MATIC 30 R	7122078	**5.709,00**
105 Bordeaux ceramic	6918019	**395,00**
102 White ceramic	6918020	**395,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
Pellet level sensor	4018005	**100,00**
Pressure gauge	4018035	**48,00**
NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
Pipes and accessories for connection Ø 10 cm		
Straight pellet pipe L 25 cm - Ø 10 cm	40A11005	**37,00**
Straight pellet pipe L 50 cm - Ø 10 cm	40A11006	**42,00**
Straight pellet pipe L 100 cm - Ø 10 cm	40A11007	**53,00**
90° bend - Ø 10 cm	40A11003	**69,00**
"T"joint - Ø 10 cm	40A11004	**80,00**
45° bend - Ø 10 cm	40A12018	**53,00**
90° bend that is easy to inspect - Ø 10 cm	40A12019	**74,00**
Pipe clamp - Ø 10 cm	40A12020	**32,00**
Rose - Ø 10 cm	40A12021	**22,00**
Silicone gasket - Ø 10 cm - Pack of 5 pieces	40A12022	**22,00**
Joint F/F - Ø 10/10 cm	4013009	**42,00**
Joint F/F - Ø 10/10 cm	4013010	**37,00**



AKI

AKI HYDRO MATIC 18 R

Model: AKI HYDROMATIC 18 M2

POWER kW	%	cm	kg	kg/h	kg
17,7 (12,7 H_2O)	95,9	8	190	1-3,9	28



A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | Flamme Verte 7* | BAFA

AKI HYDRO MATIC 24 R

Model: AKI HYDROMATIC 24 M2

POWER kW	%	cm	kg	kg/h	kg
24,2 (18,2 H_2O)	95,9	8	190	1-5,4	28



A+ A G | 5 STELLE D.M. 186 | CONTO TERMICO | Flamme Verte 7* | BAFA

	CODE	€
AKI HYDRO MATIC 18 R	7121045	**4.679,00**
AKI HYDRO MATIC 24 R	7121046	**5.125,00**

	302 White metal	6920026	**282,00**
	308 Dark metal	6920025	**282,00**
	313 Silver metal	6920027	**282,00**
	102 White ceramic	6920028	**543,00**
	105 Bordeaux ceramic	6920029	**543,00**
	109 Sand ceramic	6920030	**543,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel



Temperature probe

PIPES REQUIRED FOR INSTALLATION
Linear pipe Ø cm 8
Painted pipe 100 cm with silicone gasket for vertical smoke outlet installation — 4022007 — **42,00**

PIPES REQUIRED FOR INSTALLATION
90° Curve Ø cm 8
Painted curve with silicone gasket for rear smoke outlet installation — 4022008 — **37,00**

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display — 4022002 — **234,00**

Pellet level sensor — 4018005 — **100,00**

Pressure gauge — 4018035 — **48,00**

NTC probe
Temperature probe
Cable length 1500 mm — 4012062 — **27,00**

Thermostatic valve kit
The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included. — 40A18011 — **244,00**

AKI CERAMIC



AKI METAL



AKI

PAD

PAD

	CODE	€
PAD HYDRO MATIC 18 R	7121030	**4.469,00**
PAD HYDRO MATIC 24 R	7121031	**5.048,00**

102 Plain White ceramic	6921025	**651,00**
107 Plain Black ceramic	6921024	**651,00**
102 Line White ceramic	6921023	**651,00**
105 Line Bordeaux ceramic	6921022	**651,00**

Maestro smartphone app (free download)

Control panel "Lift" that integrates the ordinary functionalities with those of the emergency panel

Temperature probe

Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
Pellet level sensor	4018005	**100,00**
Pressure gauge	4018035	**48,00**
NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
Thermostatic valve kit The valve is needed to prevent the return of cold water from the system to the boiler and therefore it avoids the danger of condensation. It is calibrated at 45 °C. In the price copper connecting pipes are included.	40A18011	**244,00**

PAD HYDRO MATIC 18 R

Model: PAD PLAIN HYDROMATIC 18 M2 / PAD LINE HYDROMATIC 18 M2

POWER kW	%	∅ cm	kg	kg/h	kg
17,7 (12,7 H_2O)	95,9	8	190	1-3,9	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*, BAFA

PAD HYDRO MATIC 24 R

Model: PAD PLAIN HYDROMATIC 24 M2 / PAD LINE HYDROMATIC 24 M2

POWER kW	%	∅ cm	kg	kg/h	kg
24,2 (18,2 H_2O)	95,9	8	190	1-5,4	26

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro, natural, oyster, free, matic, quick start 3', brush less, kit wi-fi

A+ A-G, 5 STELLE D.M. 186, CONTO TERMICO, flamme verte 7*, BAFA



PELLET STOVES_Hydro Easy

104 CLIO > Hydro
106 THEA > Hydro

CLIO

	CODE	€
CLIO HYDRO 16 R	7122030	**3.772,00**
CLIO HYDRO 23 R	7122031	**4.018,00**

	302 White metal	6916043	**185,00**
	308 Dark metal	6916042	**185,00**
	313 Silver metal	6917014	**185,00**
	304 Bordeaux metal	6916044	**185,00**

	Temperature probe		
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
	Auxiliary boiler connection module Manages any auxiliary gas or diesel boilers to guarantee user comfort (for example, in case of pellet depletion)	4012078	**80,00**

CLIO HYDRO 16 R

Model: CLIO HYDRO 16 S2

POWER kW	%	∅ cm	kg	kg/h	kg
16,1 (12,9 H_2O)	96,7	8	195	1,1-3,6	26



CLIO HYDRO 23 R

Model: CLIO HYDRO 23 S2

POWER kW	%	∅ cm	kg	kg/h	kg
22,4 (18 H_2O)	96,7	8	195	1,1-5,1	26





THEA

THEA HYDRO 16 R

Model: THEA HYDRO 16 S2

POWER kW	%	cm	kg	kg/h	kg
16,1 (12,9 H_2O)	96,7	8	195	1,1-3,6	26



THEA HYDRO 23 R

odel: THEA HYDRO 23 S2

POWER kW	%	cm	kg	kg/h	kg
22,4 (18 H_2O)	96,7	8	195	1,1-5,1	26





	CODE	€
THEA HYDRO 16 R	7122032	**4.367,00**
THEA HYDRO 23 R	7122033	**4.607,00**

	302 White metal	6920010	**159,00**
	308 Dark metal	6920009	**159,00**
	313 Silver metal	6920012	**159,00**
	304 Bordeaux metal	6920011	**159,00**

	**Temperature probe**		
	PIPES REQUIRED FOR INSTALLATION **Linear pipe Ø cm 8** Painted pipe 100 cm with silicone gasket for vertical smoke outlet installation	4022007	**42,00**
	PIPES REQUIRED FOR INSTALLATION **90° Curve Ø cm 8** Painted curve with silicone gasket for rear smoke outlet installation	4022008	**37,00**
	Kit Wi-Fi Easy Connect For remote connection via the app. To be installed on the back of the stove, self-powered. Compatible with a 2.4 GHz frequency Wi-Fi router.	4020003	**80,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**
	Auxiliary boiler connection module Manages any auxiliary gas or diesel boilers to guarantee user comfort (for example, in case of pellet depletion)	4012078	**80,00**

THEA

PELLET_Fireplaces and inserts

116 QBOX 60 > AIR
117 QBOX 70 > AIR
110 VIVO 90-9 > COMFORT AIR
112 VIVO 90-11 > COMFORT AIR
118 VIVO 90 > HYDRO

VIVO 90 - 9



VIVO 90 C.AIR 9

NEW

Model: VIVO 90 COMFORT AIR 9 M1

POWER kW	%	∅ cm	kg	kg/h	kg
8,9	95,7	8	180	0,6-2	23



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
VIVO 90 C.AIR 9	5022004	**4.100,00**
SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps	4012008	**637,00**
TOTAL		**4.737,00**

Maestro smartphone app (free download)



Temperature probe

Passe-partout frame 4 sides
Included: "Blade" convection grille 99x6,1 cm. Pellet feed pipe with door

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Support — 4014001 — **271,00**

FLIP ventilation outlet - White glass — 4012017 — **271,00**

GHOST ventilation outlet — White glass 4012020 **286,00**; Black glass 4012021 **286,00**

MINIMAL ventilation outlet - Metal can be painted — 4017009 — **222,00**

SOFT ventilation outlet - Ceramic — 4017010 — **244,00**

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



VIVO 90 - 9



VIVO 90 C.AIR 9

NEW

Model: VIVO 90 COMFORT AIR 9 M1

POWER kW	%	∅ cm	kg	kg/h	kg
8,9	95,7	8	180	0,6-2	23

core | maestro+ | easy connect | air | comfort air | comfort air | comfort air +1 | no air | hydro

natural | oyster | free | matic | quick start 3' | | brush less | | |

kit wi-fi

A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
VIVO 90 C.AIR 9	5022004	**4.100,00**
BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**393,00**
TOTAL		**4.493,00**

Maestro smartphone app (free download)



Temperature probe

Passe-partout frame 4 sides
Included: "Blade" convection grille 99x6,1 cm. Pellet feed pipe with door

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Support — 4014001 — **271,00**

MONO 20
Mono-directional air outlet with humidifier
Without light — 4008021 — **117,00**
With light* — 4008023 — **271,00**

BI 20 — 4008024 — **100,00**
Bi-directional air outlet

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



VIVO 90 - 11

VIVO 90 C.AIR 11 NEW

Model: VIVO 90 COMFORT AIR 11 M1

POWER kW	%	∅ cm	kg	kg/h	kg
10,9	95,7	8	180	0,6-2,5	23



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*



	CODE	€
VIVO 90 C.AIR 11	5022005	**4.592,00**
SLIM Comfort Air® kit -2 x Multi 12 outlets -2 x ø 10 cm - L=1.5 m pipes -2 x ø 6 cm pipes -Motor inspection hatches -2 fan units -2 x ø 60 mm clamps -2 x ø 100 mm clamps	4012008	**638,00**
TOTAL		**5.230,00**



Maestro smartphone app (free download)



Temperature probe

Passe-partout frame 4 sides
Included: "Blade" convection grille 99x6,1 cm. Pellet feed pipe with door

Upper hot air outlet nozzle
90x11 cm

	Maestro+ FREESTANDING thermostatic remote control Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display	4022002	**234,00**
	LIGHT Maestro thermostatic remote control unit Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves	4024002	**71,00**
	Pellet level sensor	4018005	**100,00**
	Support	4014001	**271,00**
	FLIP ventilation outlet - White glass	4012017	**271,00**
	GHOST ventilation outlet White glass Black glass	4012020 4012021	**286,00** **286,00**
	MINIMAL ventilation outlet - Metal can be painted	4017009	**222,00**
	SOFT ventilation outlet - Ceramic	4017010	**244,00**
>>>	**Comfort Air® accessories** To build a Comfort Air® channelling system > PELLET_Accessories		

VIVO 90 - 11



VIVO 90 C.AIR 11

NEW

Model: VIVO 90 COMFORT AIR 11 M1

POWER kW	%	∅ cm	kg	kg/h	kg
10,9	95,7	8	180	0,6-2,5	23



A A1 G | 4 STELLE D.M. 186 | CONTO TERMICO | flamme verte 7*

	CODE	€
VIVO 90 C.AIR 11	5022005	**4.592,00**
BASIC Comfort Air® kit -2 x Multi 20 outlets -2 x ø 10 cm - L=1.5 m pipes -2 fan units -4 clamps -2 brackets	4012007	**393,00**
TOTAL		**4.985,00**

Maestro smartphone app (free download)



Temperature probe

Passe-partout frame 4 sides
Included: "Blade" convection grille 99x6,1 cm. Pellet feed pipe with door

Upper hot air outlet nozzle
90x11 cm

Maestro+ FREESTANDING thermostatic remote control — 4022002 — **234,00**
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

LIGHT Maestro thermostatic remote control unit — 4024002 — **71,00**
Small dimensions and stove control with only two buttons. 3 preset modes: manual, automatic, comfort. Bluetooth connection. Compatible only with Maestro+ stoves, not compatible with hydro stoves

Pellet level sensor — 4018005 — **100,00**

Support — 4014001 — **271,00**

MONO 20
Mono-directional air outlet with humidifier
Without light — 4008021 — **117,00**
With light* — 4008023 — **271,00**

BI 20 — 4008024 — **100,00**
Bi-directional air outlet

Comfort Air® accessories
To build a Comfort Air® channelling system
> PELLET_Accessories



VIVO 90

QBOX PELLET

QBOX 60

	CODE	€
QBOX 60 AIR 6	5022001	**2.860,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor

Support	4012009	**244,00**
Fourth bottom side to complete the frame Black	4023001	**31,00**

QBOX 60 AIR 6

NEW

Model: QBOX 60 AIR 6 M1

POWER kW	%	cm	kg	kg/h	kg
6,1	92	8	100	0,7-1,4	8

core, maestro+, easy connect, air, comfort air, comfort air, comfort air +1, no air, hydro
natural, oyster, free, matic, quick start 3', brush less
kit wi-fi

A+ A G, 4 STELLE D.M. 186, CONTO TERMICO, Flamme Verte 7*



QBOX 70

	CODE	€
QBOX 70 AIR 8	5022002	**3.142,00**

Maestro smartphone app (free download)

Maestro+ FREESTANDING thermostatic remote control
Remote control with ambient thermostat and humidity sensor for room temperature control, always visible thanks to the e-ink display

Temperature probe

Pellet level sensor

Support	4012009	**244,00**
Fourth bottom side to complete the frame Black	4023002	**31,00**

QBOX 70 AIR 8

NEW

Model: QBOX 70 AIR 8 M1

POWER kW	%	cm	kg	kg/h	kg
7,9	92	8	135	0,8-1,8	20

core · maestro+ · easy connect · air · comfort air · comfort air · comfort air +1 · no air · hydro
natural · oyster · free · matic · quick start · brush less
kit wi-fi

A A1 G · 4 STELLE D.M. 186 · CONTO TERMICO · flamme verte 7*



VIVO 90 HYDRO

VIVO 90 HYDRO

	CODE	€
VIVO 90 HYDRO 16	5020003	**4.679,00**
VIVO 90 HYDRO 24	5020004	**4.925,00**

	Maestro "upgrade" smartphone app (free download)		
	Temperature probe		
	Pellet feed pipe with door		
	Freestanding remote control with room thermostat cm 5,4x6,5x19,5 H	4020006	**117,00**
	Maestro built-in panel cm 16,3x8,5	4021001	**175,00**
	Maestro wall-mounted panel cm 16,3x8,5	4021002	**175,00**
	Support	4014001	**271,00**
	Pellet level sensor	4018005	**100,00**
	Pressure gauge	4018035	**48,00**
	NTC probe Temperature probe Cable length 1500 mm	4012062	**27,00**

VIVO 90 HYDRO 16

Model: VIVO 90 HYDRO 16 M1

POWER kW	%	∅ cm	kg	kg/h	kg
18 (13 H_2O)	95,9	10	190	1,2-3,9	42



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | fiamme verte 7*

VIVO 90 HYDRO 24

Model: VIVO 90 HYDRO 24 M1

POWER kW	%	∅ cm	kg	kg/h	kg
24,7 (19 H_2O)	95,9	10	190	1,2-5,5	42



A+ A G | 4 STELLE D.M. 186 | CONTO TERMICO | fiamme verte 7*